

TURGIDITY

AIR EXCHANGE



BALANCE

APPLICATIONS	RATES & COMMENTS
	Apply 60 - 240 mL / 100 m² (2 - 8 fluid ounces per 1,000 ft²).
Cool and warm-season turf	30 Day Treatment Water Management Apply Hydration at the rate of 120 mL / 100 m² (4 fluid ounces per 1,000 ft²) in a minimum of 400 L / hectare (1 gallon of water per 1,000 ft²).
	60 Day Treatment Water Management Apply Hydration at the rate of 240 mL / 100 m² (8 fluid ounces per 1,000 ft²) in a minimum of 400 L / hectare (1 gallon of water per 1,000 ft²).

Active Ingredients:

Ethylene Oxide-Propylene Oxide Copolymer 87.50%

Inert Ingredients:

Net Contents: 2.5 GAL (9.46L)



www.plantfitness.com | (833) 833-4239 9860 S. Dorchester Avenue Chicago, IL 60628 USA Plant Fitness and Hydration are trademarks of Epoch Science, LLC. Made in the USA

SAFETY PRECAUTIONS:



CAUTION: KEEP OUT OF REACH OF CHILDREN

HANDLING PRECAUTIONS: After handling the chemical, wash your hands, forearms, and face thoroughly. Ensure you are wearing protective gloves, clothing, eye protection, and face protection during the entire process.

IN CASE OF CONTACT: If the chemical comes in contact with your skin, immediately wash the affected area with plenty of water. In case of eye contact, rinse your eyes cautiously with water for several minutes. Remove contact lenses if you wear them and continue rinsing.

AFTER EXPOSURE: If your clothing gets contaminated, take it off and wash it before reusing. If you experience skin irritation, seek medical advice promptly. Similarly, if eye irritation persists, consult with a medical professional.

ADDITIONAL INFORMATION: For more detailed information on the chemical and its safety measures, refer to the Safety Data Sheet (SDS).

HYDRATION TM